

REDLINE

PREMIUM QUALITY PLIERS & CUTTERS

STANDARD ZANGEN - PREMIUM QUALITÄT
PINCES DE PREMIÈRE QUALITÉ
ALICATES Y ALICATES DE CORTE DE ALTA CALIDAD



1 Two component, ergonomic design, with anti-slip horns for increased comfort, control & safety

Zwei-Komponentengriffe, ergonomisches Design, mit Abgleitschutz für höheren Komfort, bessere Handhabung und Sicherheit
Manches bicomposant de conception ergonomique avec épaulements antidérapants pour un confort accru, une meilleure maîtrise de l'outil et plus de sécurité
Diseño ergonómico con dos componentes y soportes antideslizantes para mayor comodidad, control y seguridad

2 Induction hardened jaws for outstanding long term performance

Induktionsgehärtete Schneiden für überragend langlebige Funktion
Mâchoires trempées par induction pour une efficacité remarquable sur la durée
Mordazas endurecidas por inducción para un excelente rendimiento duradero

3 Cutting jaws with C.K. optimised geometry for unsurpassed cutting performance

Schneiden mit von C.K. optimierter Geometrie für unübertroffene Schneidleistung
Mâchoires coupantes dotées de la géométrie optimisée C.K. pour un rendement de coupe imbattable
Mordazas de corte con una geometría optimizada de C.K. para conseguir un rendimiento de corte insuperable

4 Special alloy steel, drop forged, hardened & tempered for exceptional strength & durability

Legierter Spezialstahl, gesenkgeschmiedet, gehärtet und angelassen für außerordentliche Festigkeit und Langlebigkeit
Acier allié spécial, matricé, trempé et revenu pour une résistance et une durabilité exceptionnelles
Acero de aleación especial, forjado, endurecido y templado para una resistencia y durabilidad excepcionales



RedLine™

REDLINE



Side cutters - Standard

ISO 5749

Item Number					
T3750 145	140mm 5½"	1.4mm	1.9mm	>4.0mm	3
T3750 160	160mm 6"	2.0mm	2.8mm	>4.0mm	3
T3750 180	180mm 7"	2.5mm	3.0mm	>4.0mm	3

- High leverage design for increased cutting capacity



Side cutters - High leverage

ISO 5749

Item Number					
T3720 65	165mm 6½"	2.2mm	3.8mm	>6.0mm	3
T3720 8	200mm 8"	2.5mm	4.2mm	>6.0mm	3

- Shearing action for clean cut results
- Razor sharp, parrot beak blades for effortless cuts
- Suitable for copper & aluminium wire only



Cable cutters

Item Number			
T3964 6	160mm 6½"	16.0mm	3

- Precision engineered jaws for exceptional grip
- Extra long cutting edges for increased cutting capacity



Combination pliers

ISO 5746

Item Number					
T3867 6	160mm 6"	1.6mm	2.5mm	>4.0mm	3
T3867 7	180mm 7"	1.6mm	2.5mm	>4.0mm	3
T3867 8	200mm 8"	2.0mm	2.8mm	>4.0mm	3

- Serrated inside jaws for secure gripping



Snipe nose pliers - Straight

ISO 5745

Item Number					
T3909 5	140mm 5½"	1.2mm	1.6mm	>4.0mm	3
T3909 6	170mm 6¾"	1.4mm	1.9mm	>4.0mm	3
T3906 8	200mm 8"	1.6mm	2.0mm	>4.0mm	3

- Serrated inside jaws for secure gripping
- Bent nose for special access needs



Snipe nose pliers - Bent

ISO 5745

Item Number					
T3907 8	200mm 8"	1.6mm	2.0mm	>4.0mm	3

- Micro adjustment for damage free repeatable results
- Spring assisted opening for convenience



Wire stripping pliers

ISO 5743

Item Number			
T3754	160mm 6"	0.3 - 5.0mm	3

CONTENTS: Combination pliers 180mm. Side cutters 160mm. Snipe nose pliers 200mm.



Pliers set - 3 Piece

Item Number	
T3803	1

CONTENTS: Wire stripping pliers 160mm. Side cutters 160mm. Snipe nose pliers 200mm.



Pliers set - 3 Piece

Item Number	
T3804	1