


ABP 1300-0200



Alubos 1300 enclosure profiles
 Enclosure profiles, closed

Order no.: 84130200

Colour of enclosure group

Black, similar to RAL 9005; special colours on request

Protection class


ABP, ABPH: up to IP 65/DIN EN 60529; ABPU: IP 40/DIN EN 60529

Enclosure material

Extruded profiles: Al Mg Si 0.5 powder-coated; diecast lid: GB Al Si 12, powder-coated; seal: TPE; for details see Technical Information

Scope of delivery: Enclosure profile

Note: C = profile length, special lengths on request.
 Accessories: See following pages.



Technical drawings

Basic drawing for processing work:
[84130200_ABP-1300-200-G.dxf](#) (266 KB)
 Catalogue drawing in DXF format:
[84130200_ABP-1300-0200.dxf](#) (1.8 MB)
 Catalogue drawing in PDF format:
[84130200_ABP-1300-0200.pdf](#) (60 KB)
 3D product data in STEP format:
[Registration necessary](#)
 Basic drawing for processing work:
[84130200_ABP-1300-0200-G.dxf](#) (266 KB)

Assembly instructions

[Alubos-ABPH-....-.....pdf](#) (124 KB)
[Alubos-ABM-....-SAL\(-BE\).pdf](#) (69 KB)
[Alubos-AB-WL-..pdf](#) (195 KB)
[Alubos-AB-....-HS.pdf](#) (67 KB)

Chapter download

[Alubos_GB.pdf](#) (1.1 MB)

Accessories



End cover

84131000

[ABD 1300](#)

For AB 1300



Mounting lid with removable aluminium cap

84132000

[ABM 1300 AL](#)

For AB 1300



Mounting lid with hinged aluminium flap

84134000

[ABM 1300 SAL](#)

For AB 1300



EMC seals

84201315

[DI 1300-EMV](#)

For AB 1300



Seals, ultramarine

84201314

[DI 1300-5002](#)

For AB 1300



Seals, fire red

84201311

[DI 1300-3000](#)

For AB 1300



Seals, rape yellow

84201312

[DI 1300-1021](#)

For AB 1300



Seals, patina green

84201313

[DI 1300-6000](#)

For AB 1300



Seals UL 94 V0

84201319*

[DI 1300-V0](#)

For AB 1300



Wall brackets, sheet steel

84005000

[AB-WL](#)

For AB 600/800/1000/1300



Self-adhesive rubber feet, black

84006700

[AB - GF](#)

Polyurethane, 65-75 Shore Black

