

NGS 4811



Uninorm control panel mounting enclosure acc. to DIN IEC 61554
 Control panel mounting enclosure

Order no.: 17481101*

Colour of enclosure group

Black, similar to RAL 9005; special colours on request

Protection class


IP 40 up to IP 65/DIN EN 60529, depending on the design

Enclosure material

Modified PPE+PS (SE1 GFN1); for details see Technical Information

Scope of delivery: NGS...: Enclosure, standard front frame, rear lid, screws NGS 9806-GR:
 Enclosure, standard front frame, 2 clamps

Note: * = Available on request. See following pages for accessories.
 NGS-9806-GR design with stepped rear panel.



Technical drawings

3D product data in STEP format:

[Registration necessary](#)

Catalogue drawing in DXF format:

[17481101_2600825.dxf](#) (388 KB)

Catalogue drawing in PDF format:

[17481101_2600825.pdf](#) (115 KB)

Chapter download

[Uninorm_GB.pdf](#) (471 KB)

Accessories



Spring clamp for fixing enclosure

37005000 [NGS-NF](#)



Screw clamp for screw-fitting enclosure

37003000 [NGS-NK](#)



Connecting piece for insertion of standard retaining clasps acc. to DIN 43835

37004000 [NGS-ZE](#)



Standard retaining clasp in accordance with DIN 43835 form B (only for use with NGS-ZE)

37001000 [NGS-NH](#)



Front panels, natural-coloured anodised aluminium

37000050 [NGS 48 FAE](#) For NGS 48..



Plastic front panel, red translucent

37000610 [NGS 48 FKT](#) For NGS 48..



Front panel seal (non-definable protection class)

37048010 [NGS 48 DI](#) For NGS 48..



External control panel seal (non-definable protection class)

37048000 [NGS 48 DA](#) For NGS 48..



Front lid with continuous membrane keypad, snaps firmly on

37948500* [NGS 48 F](#) For NGS 48..



Front frame with screw covers, snaps firmly on

37948600 [NGS 48 SA](#) For NGS 48..



Crystal-clear hood, snap-on, polycarbonate

37948700* [NGS 48 AH](#) For NGS 48..



Clear hood cover, flexible, up to IP 65 possible

37004800 [NGS 48 GHN](#) For NGS 48..

