

EG 1240 L



Elegant
Enclosure with air vents in the lid and base
Order no.: 32124012

Colour of enclosure group

Lid: light grey, similar to RAL 7035; base, covers and front panels: agate grey, similar to RAL 7038; special colours on request


Protection class

IP 40/DIN EN 60529; higher protection on request (EG..., EG...F)

Enclosure material

PS (polystyrene); for details see Technical Information

Scope of delivery: Lid and base with air vents, screws



A	125 mm
B	67 mm
C	40 mm
c1	34 mm
c2	3 mm

Technical drawings

3D product data in STEP format:

[Registration necessary](#)

Basic drawing for processing work:

[32124012_EG-1240-L-G.dxf](#) (563 KB)

Catalogue drawing in DXF format:

[32124012_EG-1240-L.dxf](#) (782 KB)

Catalogue drawing in PDF format:

[32124012_EG-1240-L.pdf](#) (127 KB)

Chapter download

[Elegant_GB.pdf](#) (337 KB)

Accessories



Wall brackets, ABS

33000200 [EG-WL](#)

33000210 [EG-WL DO](#)

Only for use with EG-DO..



Lid fixing set from above for EG 12.. - 20..

33100010 [EG-DO 40](#) For EG 1240, not for EG 1240 F



Quick-release fastener for EG 12.. - 20.., polyamide

33000400 [EG-SV](#)



Press-in tool for EG-SV

33000405* [EG-WZ](#)



Mounting panel, laminated paper

33012000* [EG-M 12](#) For EG 12..



Covers for keyhole suspension

33000100 [EG-AK](#) Agate grey



Screw cover, ABS

33000300 [EG-SA](#) Agate grey



Rubber feet

22009000 [GF](#) Polyurethane, 65-75 Shore Black

* = Available on request