


EG 1230 F



Elegant
 Enclosure, closed, with membrane keypad area

Order no.: 32123062

Colour of enclosure group

Lid: light grey, similar to RAL 7035; base, covers and front panels: agate grey, similar to RAL 7038; special colours on request

Protection class


IP 40/DIN EN 60529; higher protection on request (EG..., EG...F)

Enclosure material

PS; for details see Technical Information

Scope of delivery: Lid, base, screws

Note: See following pages for accessories.



A	125 mm
B	67 mm
C	31 mm
c1	24 mm
c2	3 mm

Technical drawings

3D product data in STEP format:

[Registration necessary](#)

Basic drawing for processing work:

[32123062 EG-1230-F-G.dxf](#) (525 KB)

Catalogue drawing in DXF format:

[32123062 EG-1230-F.dxf](#) (782 KB)

Catalogue drawing in PDF format:

[32123062 EG-1230-F.pdf](#) (128 KB)

Chapter download

[Elegant_GB.pdf](#) (453 KB)

Accessories



Wall brackets, ABS

33000200 [EG-WL](#)



Quick-release fastener for EG 12.. – 20.., polyamide

33000400 [EG-SV](#)



Press-in tool for EG-SV

33000405 [EG-WZ](#)



Mounting panel, laminated paper

33012000* [EG-M 12](#)

For EG 12..



Covers for keyhole suspension

33000100 [EG-AK](#)



Screw cover, ABS

33000300 [EG-SA](#)



Rubber feet

22009000 [GF](#)

Polyurethane, 65-75 Shore Black

