MQS

TE Internal #: 1-969508-2

Housing for Female Terminals, Wire-to-Board / Wire-to-Wire, 6 Position, 2.54 mm [.1 in] Centerline, Black, Wire & Cable, Signal

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > MQS, CONNECTOR HOUSING











Connector System: Wire-to-Board, Wire-to-Wire

Number of Positions: 6

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 2.54 mm [.1 in]

Sealable: No

All MQS, CONNECTOR HOUSING (353)

Features

Product Type Features

Operating Voltage

Nominal Voltage Architecture

| Froduct Type realures | |
|-----------------------------------|------------------------------|
| Mixed & Hybrid Connector | No |
| Connector Shape | Rectangular |
| Connector System | Wire-to-Board, Wire-to-Wire |
| Connector & Housing Type | Housing for Female Terminals |
| Sealable | No |
| Connector & Contact Terminates To | Wire & Cable |
| Primary Locking Feature | On the Terminal |
| Configuration Features | |
| Number of Positions | 6 |
| Number of Rows | 1 |
| Electrical Characteristics | |

24 VDC

12 V, 24 V



Body Features

| Cable Exit Angle | 180° |
|-------------------------|-------|
| Primary Product Color | Black |
| Connector & Keying Code | A |

Contact Features

| Contact Size | .63mm |
|------------------------------|-----------------|
| Contact Type | Socket |
| Mating Tab Width | .63 mm[.025 in] |
| Contact Current Rating (Max) | 7.5 A |

Mechanical Attachment

| Terminal Position Assurance | Yes |
|-----------------------------|----------------------------|
| Strain Relief | Without |
| Mating Alignment Type | Keyed |
| Mating Alignment | With |
| Connector Mounting Type | Cable Mount (Free-Hanging) |

Housing Features

| Housing Material | PBT GF10 |
|--------------------|----------------|
| Centerline (Pitch) | 2.54 mm[.1 in] |

Dimensions

| Connector Height | 10.6 mm[.417 in] |
|------------------|------------------|
| Product Width | 16 mm[.63 in] |
| Product Length | 17.7 mm[.697 in] |

Usage Conditions

| Operating Temperature (Max) | 120 °C[248 °F] |
|-----------------------------|----------------------------|
| Operating Temperature Range | -40 - 120 °C[-40 - 248 °F] |

Operation/Application

Other

| Serviceable | Yes | |
|--------------------------------------|-----|--|
| Connector Position Assurance Capable | No | |

Product Compliance



For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Customers Also Bought





TE Part #927365-1 8P MIN D-FLACHF GEH



BLACK

MATENET, FEMALE INSERT MODUL,











TE Part #653861-4 SPRING, COMPRESSION

Documents

Product Drawings 6POS MQS REC COD A

English

CAD Files

Customer View Model

ENG_CVM_1-969508-2_C.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-969508-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-969508-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English